



Sentinel
Restaurant
Association

SAFETY NEWSLETTER

07/31/2014

ADDRESS:

20051 SW Birch St #300,
Newport Beach, CA - 92660

PHONE: (949) 756-1654

FAX: (949) 251-9620

WEBSITE: www.calsra.com

**Administrative
Agent:**

Daryl Tallon

—

Manager:

Niha Osman

—

Contact Us

Email:

niha@calsra.com

Phone:

(949) 756-1654

**Inside this
issue:**

Top ten safety tip for restaurant employee 1

Tips for conducting accident investigation 2

Fryer Safety - Discarding used cooking oil 3

Top Ten Safety Tips for the Restaurant Employee

Safely Operate Equipment

Follow manufacturer instructions and use all protective gear or safety guidelines for machines with sharp or dangerous parts.

Wash Hands Frequently

Thoroughly wash hands with warm soapy water before and after handling food, utensils, and equipment. Make sure hand-sinks are properly installed in all food preparation areas. This minimizes the transfer of harmful bacteria.

Take Care to Avoid Falls

Clean up spills immediately and remove any obstacles or wet spots on the floor. Consider enforcing slip-resistant shoes to minimize injuries from slipping on floors.

Wear a Proper Uniform

In addition to slip-resistant shoes, uniform standards may include hairnets, plastic gloves, and aprons. These prevent long hair, germs, and loose clothing from contaminating foods and getting caught in kitchen equipment.

Maintain Clean Personal Hygiene and Behaviors

Proper hygiene provides an extra safeguard against the transfer of harmful bacteria. Keep all smoking, eating, drinking, coughing, or sneezing away from food-preparation areas. Keep ill employees at home and away from the workplace. Plastic or latex gloves also reduce risks of cross-contamination

Be Wary of Burns

Burns from hot surfaces, water, oil, and food are common causes of injury in a kitchen environment. Take proper precautions and consider pot holders and oven mitts to provide extra protection to anyone working around hot equipment or food.

Use Caution with Sharp Edges

Knives, machine parts, equipment, and broken glass can all have sharp edges. Wearing cut resistant gloves can prove especially helpful when handling sharp objects.

Minimize Strains and Sprains

Train employees in proper lifting techniques and ways to eliminate excessive reaching or repetitive motion injuries. Anti fatigue mats are often helpful for employees who stand for long periods of time.

Handle Hazardous Chemicals with Care

Read labels, be familiar with Material Safety Data Sheets for any chemicals on the premises, and utilize any protective gear available.

Prepare for Emergencies

Implement an action plan for accidents, natural disasters, fires, violent situations, and other emergencies that may occur on the premises. Communicate the action plan to all employees.



Tips for Conducting an Injury/Illness Investigation

NOTE: Every employer in California is required to **immediately report (within 8 hours) any serious injury** or illness, or death of an employee which occurs in a place of employment or in connection with any employment to the nearest Cal/OSHA office (California Code of Regulations Title 8, Section 342).

Reportable serious injuries or illnesses include inpatient hospitalization for a period in excess of 24 hours for other than medical observation or in which an employee suffers a loss of any member of the body or suffers any serious degree of permanent disfigurement.

The **purpose** of an investigation is to find the root cause of the injury or illness so the hazard or practice can be rectified to **prevent further occurrences**. It is **not to create blame**.

Visit the scene as soon as possible following an injury or illness. You will be able to obtain facts while they are fresh, interview witnesses before they forget important details, and provide calm and order following the situation.

Interview the injured worker, if possible. "Walk" the injured through a mock re-enactment. This will give you his/her perspective of the factors that led to the injury or illness.

Talk with everyone who has knowledge of the injury or illness, even if they didn't witness it. Interview everyone privately, one at a time (people's recollection can be influenced and/or

changed by other witnesses' accounts). Whenever facts seem unclear, or there is an element of controversy surrounding the accident, consider taking signed statements.

Document details graphically. Take videos, photos, diagram or sketch the scene, and take measurements when appropriate. When a third party appears to be involved, retain evidence. Get the names of involved individuals, addresses, phone numbers, license and insurance information.

Focus on the root causes. Don't jump to conclusions. Try to answer the following questions:

What happened?

How did it happen?

How it could have been prevented?

Was there an unsafe act?

Determine what caused the incident itself, not just the injury.

Had proper training been given or controls in place on that topic?


Discuss ideas for prevention with management and interested persons. Two types of controls include:

Administrative controls: Examples are job rotation, enforced rest breaks, stretch breaks, additional training, re-writing policy, enforcing current policy, transfer to another position, restricting work activities.

Physical Controls: Examples are

using slip-resistant shoes, installing guards around equipment (mixers, slicers, etc.), installing better flooring and/or mats, providing carts and hand trucks for material handling, etc.

Follow up with corrective action. Make it visible so everyone is aware of the outcome. This demonstrates your commitment and enhances moral when corrective action is done to improve safety for everyone.



Fryer Safety - Discarding Used Cooking Oil

Rita, the 27-year-old Shift Manager, had worked at the restaurant for three years. She liked her work and tried to do the best possible job. She arrived at 5 a.m. to find out that two of her employees had called in sick; she would have to operate her shift short-handed again. The fryer oil had to be changed, and Rita knew the company procedure for doing it. She attached the drain extension and allowed the hot oil to dispense into the collection pot, which was also used to cook beans. She waited about an hour for the oil to cool, but she wanted to get the job done sooner. While trying to carry the 50-pound pot outside, she slipped, and the 360-degree oil spilled over her body, causing severe burns.

As with most accidents, this one has numerous root causes. Some involved procedures, some equipment and some conditions. Discarding used cooking oil can, of course, be done safely, but management must emphasize to employees that this is a very hazardous activity and that they must follow proper procedures exactly.

Some considerations for discarding used cooking oil are presented below.

Consider replacing older deep fat fryer models with newer models that have exhaust vents in closer proximity to the fryer, built-in grease filters, improved grease-disposal systems, automatic food-lowering devices, and vat covers.

Use the appropriate quality oil for your fryer. Some employers have found that using higher quality oils reduces the amount of splashing during deep frying.

Provide the proper collection equipment and ensure it will hold the entire contents. It is better to use a shuttle device with wheels designed for this operation. If you use a pot or a pan, it should be an appropriate height so that it fits under the drain extension without having to be tipped when removed and sits flat on the floor. A pot or pan should also have four handles so that each of the two employees carrying it will have two points of contact to improve stability during transportation and pouring. An enclosure lid should be secured to the pot/pan to prevent splashes and spills during transportation.

Provide a cart that is in good condition. The drain pot/pan should be securely transported on a low-profile cart equipped with a

raised handle so that the employee's contact with it is at waist level. Using a cart eliminates much of the manual handling of the drain pan.

Provide and require use of appropriate personal protective equipment. Employees should wear impervious gloves, an impervious apron and a full face shield during all phases of the transfer process.

Let it cool. The oil should be allowed to cool for at least 12 hours in the drain pan before it is transported.

The transportation process should be a team effort and requires two employees.

Clear the way. Inspect the entire transportation route to be sure that there are no obstacles to hinder the operation.

Consider alternate disposal methods. Check with your cooking oil disposal company for alternative disposal methods such as a closed, direct pump system that will eliminate the need for any manual handling of used oil.



Place under drain
and Empty Fryer



Walk Shuttle



Push up against the
barrel or dumpster



Hook on barrel or
dumpster



Squat and lift...



Empty Shuttle.



Your Restaurant is our Passion

20051 SW Birch Street, #300

Newport Beach, CA - 92660

www.calsra.com

Phone: 949-756-1654

Fax: 949-251-9620

E-mail: niha@calsra.com

**For more information
about your workers com-
pensation safety needs,
visit our website -
www.calsra.com**

**Thank you for your refer-
rals! If you're pleased with
us, Please spread the word.**



WORKERS COMPENSATION SAFETY NEWSLETTER

This Complimentary Newsletter is sent to you by

Your Farmers Agent

And

The Sentinel Restaurant Association

Newsletter Designed by Niha Osman

**Please give us your feedback on the newsletter via
email at niha@calsra.com**